



安全柜
SAFETY CABINETS



盐城市斯壮格安全设备有限公司
YANCHENG STG SAFETY EQUIPMENT CO.,LTD.



EPE 安全柜

EPE Safety Cabinets

关于 EPE

盐城市斯壮格安全设备有限公司成立于2009年，是一家专业化生产安全柜产品的工厂，成立了安全柜实验室研究开发中心，专注于安全柜产品性能的开发和产品的应用。盐城斯壮格是国内一家专业化的安全柜生产工厂。工厂占地15亩，建设4000平方米的标准厂房，生产能力：2000只/年。

About EPE

Yancheng STG Safety Equipment Co.,Ltd. was founded in 2009, which specialized in manufacturing Safety Cabinets. The company has established Safety Cabinets laboratory research & development center, which focuses on the development and application of Safety Cabinets products. Yancheng STG is the home professional Safety Cabinets manufacturing plant, which covers area of 10000 square meters and contains the 4000 square meters standard workshop. Our productivity is about 2,000 suits per year in estimate.

无锡办事处 Wuxi Office
广州办事处 Guangzhou Office
北京办事处 Beijing Office



斯壮格





黄色可燃性化学品防火安全储存柜的特点:

1. 采用优质的冷轧钢板材料，经过米格式焊接方式，使用时间在 10 年以上
2. 采用双层柜体，中间有 38mm 的空气隔绝层，有效地缓解柜体外部热量传递到内部的速度
3. 柜体内部配备防泄漏的隔层板，可以在 60cm 间距自由上下调节高度，有效地利用空间来存放装有各类可燃性化学品物质的安全罐
4. 柜体低部有 50mm 高度的防泄漏槽，防止可燃性液体化学品的溢出
5. 在柜体的两侧，配有 2 个防火透气孔，用于释放柜体内部的可燃性气体，以及在发生火灾时，阻隔外间火种进入柜体内部
6. 柜体内外采用 ABS 喷涂，再经过高温烤制，可以抗各类化学品物质的腐蚀
7. 静电接地导线防止柜体产生静电火花
8. 柜体颜色：黄色
9. 醒目的可燃性化学品标志



编号	外观尺寸 (cm) 高*宽*深	容量 (加仑/升)	重量 lbs/kg	可调节层板	门类型	开关方式	品牌	产地
P/N 901001001H	56 * 43 * 43	4/15	46/28	0	单门	手动	EPE	中国
P/N 901001001A	56 * 43 * 43	4/15	46/28	0	单门	自动	EPE	中国
P/N 901001002H	89 * 59 * 46	12/45	129/59	1	双门	手动	EPE	中国
P/N 901001002A	89 * 59 * 46	12/45	129/59	1	双门	自动	EPE	中国
P/N 901001003H	112 * 109 * 46	30/114	231/105	1	双门	手动	EPE	中国



P/N 901001003A	112 * 109 * 46	30/114	231/105	1	双门	自动	EPE	中国
P/N 901001004H	165 * 109 * 46	45/170	310/141	2	双门	手动	EPE	China
P/N 901001004A	165 * 109 * 46	45/170	310/141	2	双门	自动	EPE	China
P/N 901001005H	165 * 86 * 86	60/227	387/176	2	双门	手动	EPE	China
P/N 901001005A	165 * 86 * 86	60/227	387/176	2	双门	自动	EPE	China
P/N 901001006H	165 * 109 * 86	90/340	480/218	2	双门	手动	EPE	China
P/N 901001006A	165 * 109 * 86	90/340	480/218	2	双门	自动	EPE	China



Yellow flammable chemicals fireproof safety storage cabinet features:

1. Adopt high-performance cold-rolled steel by welding, which can be used for more than ten years.
2. Adopt double wall fireproof steel construction with 38mm of insulating air space, so it can effectively relieve the speed of external heat which transfer to internal
3. Internal of cabinet equips with leak proof separating plate, which can be adjusted up and down freely in a 60cm interval. Therefore, it can store all types of combustibile chemicals safety storage cans
4. There is a 50mm height liquid leak proof slot under the bottom, which can greatly hold accident leak as possibly.
5. Dual vents with built-in flash arresters strategically placed at both side of cabinets which are used for releasing the internal combustibile gas of cabinet and prevent the fire from entering the cabinet during the fire
6. Painted ABS inside and outside cabinets through high temperature, which can resist corrosion of varies chemicals
7. Static grounding wires prevent cabinet from producing electrostatic sparks
8. Color: Yellow
9. The surface displays high visibility professional standard inflammable chemicals warning label



Code	External dimension HxWxD cm	Capacity (gallon/L)	Weight lbs/kg	Adjustable Shelves	Types of door	Method of open door	Brand	Origin
P/N 901001001H	56 * 43 * 43	4/15	46/28	0	single door	manual	EPE	China
P/N 901001001A	56 * 43 * 43	4/15	46/28	0	single door	automatic	EPE	China
P/N 901001002H	89 * 59 * 46	12/45	129/59	1	double door	manual	EPE	China
P/N 901001002A	89 * 59 * 46	12/45	129/59	1	double door	automatic	EPE	China



P/N 901001003H	112 * 109 * 46	30/114	231/105	1	double door	manual	EPE	China
P/N 901001003A	112 * 109 * 46	30/114	231/105	1	double door	automatic	EPE	China
P/N 901001004H	165 * 109 * 46	45/170	310/141	2	double door	manual	EPE	China
P/N 901001004A	165 * 109 * 46	45/170	310/141	2	double door	automatic	EPE	China
P/N 901001005H	165 * 86 * 86	60/227	387/176	2	double door	manual	EPE	China
P/N 901001005A	165 * 86 * 86	60/227	387/176	2	double door	automatic	EPE	China
P/N 901001006H	165 * 109 * 86	90/340	480/218	2	double door	manual	EPE	China
P/N 901001006A	165 * 109 * 86	90/340	480/218	2	double door	automatic	EPE	China



红色易燃性化学品防火安全储存柜的特点:

1. 采用优质的冷轧钢板材料，经过米格式焊接方式，使用时间在 10 年以上。
2. 采用双层柜体，中间有 38mm 的空气隔绝层，有效地缓解柜体外部热量传递到内部的速度。
3. 柜体内部配备防泄漏的隔层板，可以在 60cm 间距自由上下调节高度，有效地利用空间来存放装有各类易燃性化学品物质的安全罐。
4. 柜体低部有 50mm 高度的防泄漏槽，防止可燃性液体化学品的溢出
5. 在柜体的两侧，配有 2 个防火透气孔，用于释放柜体内部的可燃性气体，以及在发生火灾时，阻隔外间火种进入柜体内部
6. 柜体内外采用 ABS 喷涂，再经过高温烤制，可以抗各类化学品物质的腐蚀
7. 静电接地导线防止柜体产生静电火花
8. 柜体颜色：红色
9. 醒目的可燃性化学品标志



编号	外观尺寸 (cm) 高*宽*深	容量 (加仑/升)	重量 lbs/kg	可调节层板	门类型	开关方式	品牌	产地
P/N 901002001H	56 * 43 * 43	4/15	46/28	0	单门	手动	EPE	中国
P/N 901002001A	56 * 43 * 43	4/15	46/28	0	单门	自动	EPE	中国
P/N 901002002H	89 * 59 * 46	12/45	129/59	1	双门	手动	EPE	中国
P/N 901002002A	89 * 59 * 46	12/45	129/59	1	双门	自动	EPE	中国



P/N 901002003H	112 * 109 * 46	30/114	231/105	1	双门	手动	EPE	中国
P/N 901002003A	112 * 109 * 46	30/114	231/105	1	双门	自动	EPE	中国
P/N 901002004H	165 * 109 * 46	45/170	310/141	2	双门	手动	EPE	中国
P/N 901002004A	165 * 109 * 46	45/170	310/141	2	双门	自动	EPE	中国
P/N 901002005H	165 * 86 * 86	60/227	387/176	2	双门	手动	EPE	中国
P/N 901002005A	165 * 86 * 86	60/227	387/176	2	双门	自动	EPE	中国
P/N 901002006H	165 * 109 * 86	90/340	480/218	2	双门	手动	EPE	中国
P/N 901002006A	165 * 109 * 86	90/340	480/218	2	双门	自动	EPE	中国



Red flammable chemicals fireproof safety storage cabinet features:

1. Adopt high-performance cold-rolled steel by welding, which can be used for more than ten years.
2. Adopt double wall fireproof steel construction with 38mm of insulating air space, so it can effectively relieve the speed of external heat which transfer to internal
3. Internal of cabinet equips with leakage proof separating plate, which can be adjusted up and down freely in a 60cm interval. Therefore, it can store all types of combustibile chemicals safety storage cans
4. There is a 50mm height liquid leak proof slot under the bottom, which can greatly hold accident leak as possibly.
5. Dual vents with built-in flash arresters strategically placed at both side of cabinets which are used for releasing the internal combustibile gas of cabinet and prevent the fire from entering the cabinet during the fire
6. Painted ABS inside and outside cabinets through high temperature, which can resist corrosion of varies chemicals
7. Static grounding wires prevent cabinet from producing electrostatic sparks
8. Color: red
9. The surface displays high visibility professional standard inflammable chemicals warning label



Code	External dimension H*W*D cm	Capacity (gallon/L)	Weight lbs/kg	Adjustable Shelves	Types of door	Method of open door	Brand	Origin
P/N 901002001H	56 * 43 * 43	4/15	46/28	0	single door	manual	EPE	China
P/N 901002001A	56 * 43 * 43	4/15	46/28	0	single door	automatic	EPE	China
P/N 901002002H	89 * 59 * 46	12/45	129/59	1	double door	manual	EPE	China
P/N 901002002A	89 * 59 * 46	12/45	129/59	1	double door	automatic	EPE	China
P/N 901002003H	112 * 109 * 46	30/114	231/105	1	double door	manual	EPE	China



P/N 901002003A	112 * 109 * 46	30/114	231/105	1	double door	automatic	EPE	China
P/N 901002004H	165 * 109 * 46	45/170	310/141	2	double door	manual	EPE	China
P/N 901002004A	165 * 109 * 46	45/170	310/141	2	double door	automatic	EPE	China
P/N 901002005H	165 * 86 * 86	60/227	387/176	2	double door	manual	EPE	China
P/N 901002005A	165 * 86 * 86	60/227	387/176	2	double door	automatic	EPE	China
P/N 901002006H	165 * 109 * 86	90/340	480/218	2	double door	manual	EPE	China
P/N 901002006A	165 * 109 * 86	90/340	480/218	2	Double door	automatic	EPE	China



蓝色抗低腐蚀性化学品防火安全储存柜的特点:

1. 采用优质的冷轧钢板材料，经过米格式焊接方式，使用时间在 10 年以上。
2. 采用双层柜体，中间有 38mm 的空气隔绝层，有效地缓解柜体外部热量传递到内部的速度。
3. 柜体内部配备防泄漏的隔层板，可以在 60cm 间距自由上下调节高度，有效地利用空间来存放装有各类易燃性化学品物质的安全罐。
4. 柜体低部有 50mm 高度的防泄漏槽，防止可燃性液体化学品的溢出
5. 在柜体的两侧，配有 2 个防火透气孔，用于释放柜体内部的可燃性气体，以及在发生火灾时，阻隔外间火种进入柜体内部
6. 柜体内外采用 ABS 喷涂，再经过高温烤制，可以抗各类化学品物质的腐蚀
7. 静电接地导线防止柜体产生静电火花
8. 柜体颜色：蓝色
9. 配备抗腐蚀性 PP 托盘
10. 醒目的可燃性化学品标志



编号	外观尺寸 (cm) 高 * 宽 * 深	容量 (加仑/升)	重量 lbs/kg	可调节层板	门类型	开关方式	品牌	产地
P/N 901003001H	56 * 43 * 43	4/15	46/28	0	单门	手动	EPE	中国
P/N 901003001A	56 * 43 * 43	4/15	46/28	0	单门	自动	EPE	中国
P/N 901003002H	89 * 59 * 46	12/45	129/59	1	双门	手动	EPE	中国
P/N 901003002A	89 * 59 * 46	12/45	129/59	1	双门	自动	EPE	中国



P/N 901003003H	112 * 109 * 46	30/114	231/105	1	双门	手动	EPE	中国
P/N 901003003A	112 * 109 * 46	30/114	231/105	1	双门	自动	EPE	中国
P/N 901003004H	165 * 109 * 46	45/170	310/141	2	双门	手动	EPE	中国
P/N 901003004A	165 * 109 * 46	45/170	310/141	2	双门	自动	EPE	中国
P/N 901003005H	165 * 86 * 86	60/227	387/176	2	双门	手动	EPE	中国
P/N 901003005A	165 * 86 * 86	60/227	387/176	2	双门	自动	EPE	中国
P/N 901003006H	165 * 109 * 86	90/340	480/218	2	双门	手动	EPE	中国
P/N 901003006A	165 * 109 * 86	90/340	480/218	2	双门	自动	EPE	中国



Blue low anti-corrosion chemicals fireproof safety storage cabinet features:

1. Adopt high-performance cold-rolled steel by welding, which can be used for more than ten years.
2. Adopt double wall fireproof steel construction with 38mm of insulating air space, so it can effectively relieve the speed of external heat which transfer to internal
3. Internal of cabinet equips with leak proof separating plate, which can be adjusted up and down freely in a 60cm interval. Therefore, it can store all types of combustibile chemicals safety storage cans
4. There is a 50mm height liquid leak proof slot under the bottom, which can greatly hold accident leak as possibly.
5. Dual vents with built-in flash arresters strategically placed at both side of cabinets which are used for releasing the internal combustibile gas of cabinet and prevent the fire from entering the cabinet during the fire
6. Painted ABS inside and outside of cabinets through high temperature, which can resist corrosion of varies chemicals.
7. Static grounding wires prevent cabinet from producing electrostatic sparks
8. Color: Blue
9. Be equipped with corrosion proof PP tray
10. The surface displays high visibility professional standard inflammable chemicals warning label



Code	External dimension H*W*D cm	Capacity (gallon/L)	Weight lbs/kg	Adjustable Shelves	Types of door	Method of open door	Brand	Origin
P/N 901003001H	56 * 43 * 43	4/15	46/28	0	single door	manual	EPE	China
P/N 901003001A	56 * 43 * 43	4/15	46/28	0	single door	automatic	EPE	China
P/N 901003002H	89 * 59 * 46	12/45	129/59	1	double door	manual	EPE	China



P/N 901003002A	89 * 59 * 46	12/45	129/59	1	double door	automatic	EPE	China
P/N 901003003H	112 * 109 * 46	30/114	231/105	1	double door	manual	EPE	China
P/N 901003003A	112 * 109 * 46	30/114	231/105	1	double door	automatic	EPE	China
P/N 901003004H	165 * 109 * 46	45/170	310/141	2	double door	manual	EPE	China
P/N 901003004A	165 * 109 * 46	45/170	310/141	2	double door	automatic	EPE	China
P/N 901003005H	165 * 86 * 86	60/227	387/176	2	double door	manual	EPE	China
P/N 901003005A	165 * 86 * 86	60/227	387/176	2	double door	automatic	EPE	China
P/N 901003006H	165 * 109 * 86	90/340	480/218	2	double door	manual	EPE	China
P/N 901003006A	165 * 109 * 86	90/340	480/218	2	Double door	automatic	EPE	China



Anti-corrosion chemicals safety storage cabinet features

1. Adopt imported polypropylene(PP) material which can be used for more than ten years
2. Material thickness :10-20 mm
3. Single-deck structure
4. Be equipped with adjustable laminates
5. The bottom of cabinet is equipped with chemicals leak proof tray which can be use as portable tray
6. Be equipped with plates leak proof laminates
7. Dual vents with built-in flash arresters strategically placed at both side of cabinets which are used for releasing the internal combustibile gas of cabinet and prevent the fire from entering the cabinet during the fire
8. can provide extra protection for chemicals safety cabinet by using padlock, in order to improve safe operation
9. According to requirements, doors of cabinet can be made as left-open or right-open types.
10. Color: White
11. The surface displays high visibility professional standard inflammable chemicals warning label



编号	外观尺寸 (cm) 高*宽*深	容量 (加仑/升)	重量 lbs/kg	可调节层板	门类型	开关方式	品牌	产地
P/N 901004001	560 * 430 * 430	4/16	25/15	1	单门	手动	EPE	中国
P/N 901004002	890 * 590 * 460	12/45	43/26	1	单门	手动	EPE	中国
P/N 901004003	1120 * 1090 * 460	30/114	138/56	2	双门	手动	EPE	中国
P/N 901004004	1650 * 1090 * 460	45/170	156/64	2	双门	手动	EPE	中国
P/N 901004005	1650 * 860 * 860	60/227	185/75	2	双门	手动	EPE	中国



P/N 901004006	1650 * 1090 * 860	90/340	220/87	2	双门	手动	EPE	中国
---------------	-------------------	--------	--------	---	----	----	-----	----

30 加仑 PE 抗强腐蚀性化学品安全储存柜的特点:

1. 采用 PE 材料一次性模具成型，具有十年以上的使用寿命。
2. 柜体采用双层结构，层板之间的距离：47mm。
3. 配备可以调节的层板。
4. 柜体底部配备防化学品泄漏的防溢盘，可作为工作中的便携式托盘使用。
5. 配备防泄露托盘。
6. 柜体后部上下配有 2 个透气孔，用于释放柜体内部的强腐蚀性气体，以及在发生火灾时，阻隔外间火种进入柜体内部。
7. 为提高操作安全度，化学品柜还可以使用挂锁提供额外的防护。
8. 柜门采用双开门形式。
9. 柜体颜色：蓝色
10. 醒目的可燃性化学品标志

30gallon PE anti-corrosion chemicals safety storage cabinet features

1. Adopt PE material, molding one-time which can be used for more than ten years
2. Adopt double-deck construction with a 47mm interval between the double-deck
3. Be equipped with adjustable laminates
4. The bottom of cabinet is equipped with chemicals leak proof tray which can be use as portable tray
5. Be equipped with plates leak proof tray.





6. Dual vents with built-in flash arresters strategically placed at both side of cabinets which are used for releasing the internal combustible gas of cabinet and prevent the fire from entering the cabinet during the fire
7. can provide extra protection for chemicals safety cabinet by using padlock, in order to improve safe operation
8. doors of cabinet adopt double-open style
9. Color: Blue
10. The surface displays high visibility professional standard inflammable chemicals warning label

编号	外观尺寸 (cm) 高*宽*深	容量 (加仑/升)	重量 lbs/kg	可调节层板	门类型	开关方式	品牌	产地
P/N 901004003PE	112 * 109 * 50	30/114	143/65	2	双门	手动	EPE	中国

Code	External dimension HxWxD cm	Capacity (gallon/L)	Weight lbs/kg	Adjustable Shelves	Types of door	Method of open door	Brand	Origin
P/N 901004003PE	112 * 109 * 50	30/114	143/65	2	single door	manual	EPE	China



PPE防护用品储存柜

PPE 储存柜又名个体防护用品储存柜，适用于储存各类安全防护用品(劳保用品.PPE),该储存柜对于工厂规范管理劳保用品,起到很好的作用，防护用品储存柜一般划分为左右两边储存室,可以分别存放各类劳保用品,也可以根据客户具体要求,定制防护用品储存柜。

PPE 防护用品储存柜的特点:

1. 柜体采用 1.2--1.5mm 厚度钢板,强度牢靠。
2. 柜体内部配备有可以上下调节的层板,有效地利用储存空间。
3. 柜门采用三点连锁装置。
4. 柜门上面有透明的视窗。
5. 分左右二个储存室（对双门式防护用品储存柜而言）。
6. 柜体内外采用 ABS 喷涂，再经过高温烤制，可以抗各类化学品物质的腐蚀
7. 柜体颜色：黄色或者红色
8. 醒目的标志



编号	外观尺寸 (cm) 高*宽 *深	容量 (升)	重量 kg	可调节层板	门类型	开关方式	品牌	产地
P/N 902001001	170 * 90 * 50	75	30	2	单门	手动	EPE	中国
P/N 902001002	170 * 109 * 50	90	50	2	双门	手动	EPE	中国



PPE protective equipment Storage cabinet

PPE protective equipment Storage cabinet means Individual protective equipment storage cabinet, which is suitable for storing all kinds of safety protective equipment (PEE Labor protection articles). This type plays an important role on factory management. PPE Storage cabinet divides into both sides storage generally for storing all kinds of Labor protection articles, which can be designed according to the requirements of clients.

PPE protective equipment Storage cabinet features:

1. Adopt 1.2--1.5mm thickness steel plate with firm intensity.
2. Can equip with adjustable plate which can be adjusted up and down freely. So it can use the storage space effectively.
3. The door adopts three points' interlocks.
4. Cabinet door equips with transparent window
5. Cabinet divides into two storage room (just be suitable for double door protective equipment Storage cabinet)
6. Painted ABS inside and outside of cabinets through high temperature, which can resist corrosion of varies chemicals.
7. Color :Red / Yellow
8. The surface displays high visibility professional standard inflammable chemicals warning label



Code	External dimension H*W*D cm	Capacity (Liter)	Weight kg	Adjustable Shelves	Types of door	Method of open door	Brand	Origin
P/N 902001001	170 * 90 * 50	75	30	2	single door	manual	EPE	China
P/N 902001002	170 * 109 * 50	90	50	2	double door	manual	EPE	China



	
<p>单桶式黄色油漆桶可燃性化学品安全柜</p>	<p>双桶式黄色油漆桶可燃性化学品安全柜</p>
	
<p>JUSTRITE 化学品泄漏控制盘</p>	<p>JUSTRITE 化学品垃圾桶</p>
	
<p>JUSTRITE 化学品安全柜</p>	<p>JUSTRITE 化学品安全罐</p>



盐城市斯壮格安全设备有限公司

地址：盐城东台市东台镇工业园纬一路 1 号

TEL: 0515-8549 0208 8549 0218 8549 0228

FAX: 0510-8406 0326 8549 1808

E-mail: wx@stgmfg.com yanchengstg@yahoo.com.cn

联系人：刘小林先生

手机号码：1333 7980 938 （盐城） 1370 6199 270 （无锡）